



**ENERG**  
енергия · ενεργεια



**TEFCOLD**

**PT1200-I**



**B**

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**847**  
kWh/annum

**290** L


L

**4**  
30°C-55%

2015/1094-IV




**ENERG**  
енергия · ενεργεια



**TEFCOLD**

**PT1200-I**



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**847**  
kWh/annum

**290** L

L

**4**  
30°C-55%

2015/1094-IV

# PRODUCT FICHE

**TEFCOLD**® 

**Brand:**

**Model:**

**PT1200-I**

**Model type:**

**Counter chiller cabinet**

**Energy efficiency class:**

**B**

**Energy efficiency index:**

**33,5**

**Energy consumption, kWh/24h:**

**2,32**

**Energy consumption, kWh/annual:**

**847**

**Net. volume:**

**290**

**GWP:**

**3**

**Climate class (1):**

**4**

**(1) Climate classes:**

**Climate class 3:**

This appliance is designed for use in ambient temperatures of up to 25 °C, and is therefore not suitable for use in a hot commercial kitchen environment.

**Climate class 4:**

This appliance is designed for use in ambient temperatures of up to 30 °C.

**Climate class 5:**

This appliance is designed for use in ambient temperatures of up to 40 °C.

**2015/1094-IV**